© 2026 Unity Reliance (M) Sdn Bhd. All rights reserved. Unauthorised reproduction, or use for other brands, is prohibited.



1 3D VIEW

NOT TO SCALE



Reinforcement indicative only

A SECTION A–A

THROUGH BEAM CENTRELINE – NOT TO SCALE

B BEARING EDGE

ENLARGED – NOT TO SCALE



GENERAL NOTES (FOR GUIDANCE ONLY)

1. Bearing pad: UNIJOINT rubber bearing pad, 350 x 350 x 25mm thick, refer to TDS.
2. Column head to be sound, clean and free of laitance, oil and dust before bedding.
3. Epoxy mortar bedding to be placed level and allowed to cure before the pad is set.
4. Pad to be centred on the bearing area and seated in full contact with the bedding.
5. Maintain a clear gap between the beam soffit and the bedding / column top. No mortar, grout or debris to bridge the pad.
6. Bedding thickness, edge distances and dowel details as per structural drawings.

LEGEND

- UNIJOINT rubber bearing pad
- Epoxy mortar bedding
- Concrete (cut)

UNITY RELIANCE

UNITY RELIANCE (M) SDN BHD
135B, Jalan Kip 8, Kawasan Perindustrian Kepong,
52200 Kuala Lumpur, Malaysia
T: 03-6734 7941 | M: 010-785 1159
unityreliance88@gmail.com | www.unityreliance.com

DISCLAIMER – FOR ILLUSTRATION ONLY, NOT FOR CONSTRUCTION

This drawing is a generic product illustration. It is NOT an engineering design and has not been prepared, checked or endorsed by a professional engineer. Unity Reliance (M) Sdn Bhd is a product supplier, not a design consultant. All sizes, bedding thickness, edge distances, reinforcement, dowels and installation details shall be designed, verified and approved by the project's qualified engineer. Unity Reliance (M) Sdn Bhd accepts no responsibility for structural design, site conditions, workmanship, or any loss or damage arising from the use of this drawing. Product supply is governed by the relevant TDS and terms of sale.

REVISIONS

REV	DATE	DESCRIPTION
0	29/10/26	FIRST ISSUE

PRODUCT
UNIJOINT RUBBER BEARING PAD
EPOXY MORTAR BEDDING

DRAWING TITLE
COLUMN HEAD RUBBER BEARING PAD
3D, SECTION & DETAIL DRAWING

DRAWING NO.
UR-JT-02

REV
0

SCALE	SIZE	DATE	DRAWN
NTS	A3	29/10/26	UR

FOR ILLUSTRATION ONLY
NOT FOR CONSTRUCTION